

Tirisano Mmoho Medicals



PRODUCT PORTFOLIO


variability and design



E-mail: thuli.hlophe2@gmail.com / vusihlophe@tirisanommohotrading.co.za
Tel: +27 11 395 1172 Mobile: +27 81 743 6087 Thuli Hlophe , +27 83 441 6448 Vusi Hlophe

Address: Unit 28 Washington Business Park, Halfway House, Midrand, Gauteng.
South Africa

PRODUCT PORTFOLIO

Obstetrics and Gynaecology	Operating Tables	Surgical Positioning Pad	ICU Beds	Universal Beds	Paediatric Beds	Bedside Tables	Patient Transfer Trolleys	Exam Beds	Gyn-Exam Beds	Medical Trolley	Matching Items
											
											
											
											
											
											
											

HL-B210A Birthing Bed

- ◆ Dimension:2200*980*680-1130mm(±10mm)
- ◆ Consisting of aluminum, mild steel and ABS plastic parts.
- ◆ Back section, seat section and foot section adopt aluminum material.
- ◆ Seamless nano-polymer leather mattress, fluid penetration prevention.
- ◆ Imported motors.
- ◆ Eccentric column design, easier access to the women in labor.
- ◆ Side rail control panel inside & outside with multi-functions.
(Optional hand remote controller, foot switch)
- ◆ Manual CPR.
- ◆ Adjustable foot section (Folding/unfolding, Lifting/lowering, Tilting up/down).
- ◆ Legrests with straps.
- ◆ Casters with central braking system




Control Panel

Integrated control panel with clear graphics allow for simple operation by patient and caregiver.

Controls:

1. Height and Tilt Adjustment
2. Trendelenburg Position
3. Under Bed Light
4. Nurse Call



Tabletop Movements




Standard Accessories:

Headboard	1 Unit	Back section	1 Unit
Seat section	1 Unit	Caster	4 Pc
Accessory latch	1 Pair	Cable	1 Pc
Foot switch (Optional)	1 Unit	Legrests	1 Pair
Backup battery (Optional)	1 Set	Mattress	1 Pc
S.S kicking bucket (Optional)	1 Pair	IV stand (Optional)	1 Pc
Hand remote controller (Optional)	1 Pair	Side rail	1 Pair
AISI 304 waste basin	1 Unit	Foot section	1 Unit
Maternal assisting handle	1 Pair	IV pole socket	2 Pc

HL-B220A

Luxury Obstetric Bed

This is a new member of intelligent obstetric beds based on the new international concept of family accompanying delivery, integrated with delivery, childbirth, recuperation, gynecological operation, examination and diagnosis. It pays more attention to the emotional life and action requirements of the maternal and infant, and maximum reduces the work intensity of nursing staff, easy and convenient to operate.



- Automatic pelvic tilt
- Induction night light
- Imported TENTE casters
- CPR Emergency handle
- Imported LINAK motors
- Music Player

Technical Specifications

- Imported Denmark LINAK linear motor.
- Adjustable Backrest, knee rest and Hi-low position.
- Smart-touch operation keys are installed on both sides rails.
- Removable PE material bed head.
- Ultra-low starting position(490mm) provides stable support for pregnant.
- The variety of delivery position (horizontal, sitting, lateral, and half-squat) to meet the delivery mother's different positions requirements.
- Induction night light provides lighting around bed floor area.
- Mattress with/without V shape cutting are optional.
- Central brake makes the bed with better stability.
- One time blow molding hidden type auxiliary platform which can be hidden under the bed when not in use.
- Uninterrupted power supply guarantees the emergency use.

Bed overall dimensions:	L2200*W1110 mm
Bed platform dimensions:	L1950*w880 mm
Bed height :	490-890 mm
Backrest up :	≥ 65 °
Seat board up :	≥ 12 °
Footplate elevation :	170mm
Bed trendelenburg :	-8°, manually operated.
Footplate outward :	≥ 90 °
Footplate up :	≥ 90 °
Castor size :	150mm
Bed weight capacity :	250kg

Standard Accessories:


Mattress	1 set	Side railings	1 pair	CPR handles	1 set
IV Pole	1 pc	Labour hand grips	1 pair	Locking Device	1 set

Tabletop Movements



HL-B221A Obstetric Bed

- ◆ Ergonomic functional design, when the back rest raising up the seat will raise up simultaneously.
- ◆ Separated leg support can be adjusted up and down electrically and can be folded as stirrups.
- ◆ Ultralow position enables the maternity patient to get on/off from the bed safely and conveniently.
- ◆ Imported noiseless linear motors to achieve functional adjustments.
- ◆ With manual CPR quick release handle for emergency use.
- ◆ Supplied with retractable foot board can be used as auxiliary table.
- ◆ Large size castors make the bed more stable and movable smoothly.



Optional

HL-B210B



Standard Accessories:

Leg holders	1 pair
I.V pole	1pc
Waste basin	1 pc
Power line	1pc
Hand controller	1pc

Bed overall dimensions	L1930*W940mm
Bed platform dimensions	L1815*W780mm
Bed height	580-860mm
Backrest up	0-60°
Sit board upward adjustment angle	0-12°
Tredenlenburg	8°
Footplate elevation	100 mm
Foot plate outward	≥45°
Footplate up	≥45°

HL-B210C Electric Delivery Bed

- ◆ Electric birthing bed is with wide lying platform, functional parts which can achieve different delivery positions to provide comfortable support and encourage the natural delivery, easy to operate.
 - ◆ High resilience mattress padded to prevent pressure sores.
 - ◆ With a pair of adjustable PE material side rails, with grips to assisting the patient to get up from the bed.
 - ◆ Advanced electrical system controls the birthing bed.
 - ◆ With split leg plates, which can swing out electrically, 0-23° to each side.
 - ◆ Leg plated upward mechanically 0-90° to provide comfortable leg support.
- Bed loading capacity: 250kg.



Tabletop Movements



Overall Dimension(mm) :	Electric backrest adjustment	Manual seat adjustment:	Electric Hi-Low adjustment:
L1550-1850 *W750*H540-940	0-75°(±5°)	0-7°	540mm-940mm

HL-B330A

Electric Delivery Bed

- ◆ Imported Denmark LINAK motors
- ◆ Super low starting position, convenient for patients to get on and off the bed.
- ◆ High Quality polyurethane material bed surface, alcohol resistant and anti-corrosion.
- ◆ Seamless mattress can be colorfully customized, easy to clean and sterilize.
- ◆ Leg section can be detached.
- ◆ Back section and height is adjusted electrically controlled by foot pedal.
- ◆ Optional trendelenburg and reverse trendelenburg adjustment.



color



Standard Accessories:

- Mattress 1 set
- Grip handle 1 pair
- S.S. waste bin 1 PC
- Arm support 1 pair
- Foot switch 1 PC

Bed overall dimensions	L1800*W610mm
Bed height	510-810mm
Backrest up	-15°-85°
Arm support extended range	90°
Bed weight capacity	235 Kg

HL-B330B

Electric Delivery Bed

- ◆ High quality stainless steel table base and column cover.
- ◆ With high density seamless mattress with optional colorful mattress cover.
- ◆ Leg section can be detached or rotated.
- ◆ Functions can be adjusted electrically by the hand controller or the foot switch.
- ◆ Adjustable backrest,Hi-lo, trendelenburg and reverse trendelenburg positions.



Standard Accessories:

- Mattress 1 set
- Grab handle 1 pair
- S.S. waste bin 1 PC
- Hand controller 1 pc
- Arm support 1 pair
- Leg holder 1 pair
- Foot switch 1 PC

Bed overall dimensions	L1780*W600mm
Bed height	680-880mm
Backrest up	-7°-47°
Arm support extended range	90°
Trendelenburg	8°
Reverse trendelenburg	20°

HL-B330C

Electric Delivery Bed

- ◆ Heavy duty steel structure
- ◆ ABS engineering plastic cover
- ◆ Hard wearing polyurethane foam mattress with leatherette cover
- ◆ High performance IPX66 motors for position adjustments
- ◆ Supplied with extensible basin, paper roller storage and removable seat padding
- ◆ Optional: battery backup, wheels, hand controller/foot switch, leg holders



Overall dimension	L1700mm*W630mm
Platform dimension	L1270mm*W630mm*H70mm
Height adjustment	730mm-1030mm
Backrest Up	0-53°
Trendelenburg/reverse Trendelenburg	19.5°/5°
Leg rest Down	200mm above floor
Leg rest swinging out	≥50°

HL-A240A

Gyn Examination Table

color   

- ◆ The frame is made of steel and ABS engineering plastic material.
- ◆ Table mattress covered by high quality PU material, can be cleaned by alcohol.
- ◆ Back section is adjusted by gas spring.
- ◆ With 1 pair hidden type heel support and a retractable auxiliary board under the seat section.
- ◆ Supplied with retractable footstool, anti-slip surface padded.

Bed overall dimensions:	L1525*W730*H900mm
Seat section inclination angle	7°
Bed weight capacity	235kg

Standard Accessories: Paper roller 1 pc

Optional Accessories: LED examination light



HL-A240B

Electrical Gyn Exam Table

- ◆ Adopt high-performance motors controlling system to adjustable the Hi-Lo Position and the up/down position of the back section.
- ◆ Table supporting column cover adopts galvanized steel plate forming process, durable and reliable.
- ◆ Table base is made of heavy gauge steel material formed to increase the whole stability, mounted on four leveling feet.
- ◆ The table top mattress adopts polyurethane foaming process with super quality PU cover, color is optional.
- ◆ Mattress is detachable for easy cleaning and disinfection.
- ◆ Sliding retractable foot section/auxiliary deck, padded with cushion.



Overall Dimension(mm) :	Electric backrest adjustment	Manual seat adjustment:	Electric Hi-Low adjustment:
L1550-1850 *W750*H540-940	0-75°(±5°)	0-7°	540mm-940mm



HL-A161A

Examination Couch

- ◆ SIZE: 1900*670*440-770mm
- ◆ Epoxy coated steel frame.
- ◆ High density foam mattress with leatherette covered.
- ◆ Height can be adjusted electrically.
- ◆ Four casters with individual brakes.
- ◆ Optional controller, hand remote or foot pedal.
- ◆ Optional colors.
- ◆ Optional head pillow.

color ● ● ● ● ● ●



TYPE I



TYPE II



Supporting Equipment



Tool Trolley



Care Trolley



Over Bed Table



Sofa Bed



Accompany Sofa



Rocking Chair




Round Stool



Doula Trolley



Infant Bed



Delivery assistant device



OB Examination lamp




Peanut shape ball of midwifery



HL-B320A

Electro-hydraulic Operating Table

- ◆ Longitudinal slide up to 320mm for free access to C-arm
- ◆ 1450mm imaging space for cardiovascular and spinal surgery
- ◆ Max overall load 360kg in normal position
- ◆ Multi-layer decompression pad with waterproof and seamless design
- ◆ 500mm lowest table position for Neurosurgery and Minimally Invasive Surgery
- ◆ One click button to detach the leg plates and head plate easily
- ◆ Dual control system for operating the table more conveniently
- ◆ Floor locking control system
- ◆ Optional wireless remote control system



HL-B320B

Electric Operating Table



HL-A310A

Manual- hydraulic Operating Table



Tabletop Movements



Built-in Kinney Bridge



Optional Waste Basin for Gynecology



Optional Orthopedic Traction



Optional Head Rest



Tabletop Sliding



Trendelenburg/Reverse Trendelenburg



Elevation Up/Down



Lateral Tilt Left/Right



Operation Lateral Arm Support



E.N.T. Operation Position



Anorectum Operation Position

Standard Accessories

Anesthetic Screen	1 Piece	Kidney Bridge Handle	1 Piece	Shoulder Support	1 Pair
Body Support	1 Pair	Arm Support	1 Pair	Long Fixing Clamp	1 Pair
Leg Support	1 Pair	Foot Plate	1 Pair	Short fixing clamp	7 Pieces
Hand Remote	1 Piece	Mattress	1set	Power Line	1 Piece



TECHNICAL SPECIFICATIONS

Item \ Model	HL-B320A	HL-B320B	HL-A310A
Tabletop Length	2070mm±50mm	2070mm±50mm	2070mm±50mm
Tabletop Width	520mm±50mm	550mm±50mm	550mm±50mm
Tabletop Minimum Height	500mm±10mm	700mm±50mm	700mm±10mm
Tabletop Maximum Height	1000mm±10mm	1000mm±50mm	1000mm±10mm
Trendelenbury/Reverse Trendelenbury	25°	25°	25°
Lateral Tilt	30°/ 30°	15°/ 15°	15°/ 15°
Head Rest (Up/Down)	+45°/- 90°	+45°/- 90°	+45°/- 90°
Leg Rest (up/down)	+15°/- 90°	+15°/- 90°	+15°/- 90°
Leg Plate Swinging out	90°	90°	90°
Back Plate (Up/Down)	+80°/- 40°	+75°/- 20°	+75°/- 20°
Kidney Bridge Elevation	110mm	110mm	110mm
Horizontal Sliding	340mm	300mm	300mm
X-Ray Translucent	YES	YES	YES
Voltage	220V/110V	220V/110V	/
Frequency	50HZ/60HZ	50HZ/60HZ	/
Flex/Reflex	220°/110°	/	/
Battery	YES	YES	/
Mattress	High density foam with waterproof PU cover	High density foam with waterproof PU cover	High density foam with waterproof PU cover
Accessory	Standard Accessory	Standard Accessory	Standard Accessory
Main Material	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Maximum Load Capacity	250KG	250KG	250KG



OPTIONAL ACCESSORIES

OT Table Traction Equipment Series




LED Operation Shadowless Lamp



Medical Pendant



More Professional Supporting Facilities



Surgical Positioning Pad


Head Support For Neurosurgery

Stirrup Type Truncated Limestone Frame

Lateral Position Fixing System

I Surgical Positioning Pad

- ◆ The products adopt ergonomic design with various specifications, providing stable and comfortable positioning for patients, best surgical field for the surgeon, maximum shorten the surgery time.
- ◆ The products are made of polymer gel and film, with good softness, pressure and shock resistance, maximum dispense the pressure, avoiding, bedsores and nerve pressing damage.
- ◆ The pads are X-ray translucent, waterproof, insulated non-conductive, Latex free, anti-bacteria, non-allergenic, without plasticizer.
- ◆ This product's tolerance temperature is from -18°C to +55°C. Easy to clean. Use non-corrosive disinfectant for disinfection. Strictly forbid fumigation high temperature and high pressure sterilization.





HL-A1001A Lateral Position Fixing System

- ◆ The board is made of German imported polymer material,with excellent wearability.
- ◆ Excellent insulation with no effect of temperature and humidity.
- ◆ The axis is made of aluminum alloy,and outsidewrap is made of silicon gel to avoid pressure sore and anti-slip.
- ◆ Can be sterilized by high temperature and high pressure.

Configuration List



Full set of spare parts



Fixing clamp



Semicircle



Fixing column



Patient Return Electrode Pad

- ◆ Zeroburn
- ◆ Pressure sores and decubitus
- ◆ Ulcers prevention
- ◆ Good compatibility
- ◆ Savenursing intensity
- ◆ Economical and environment-friendly
- ◆ Extensive use

HL-B1201A	HL-B1201B	HL-B1201C	HL-B1201D	HL-B1201E	HL-B1201F
HL-B1201G		HL-B1201H	HL-B1201I		

HL-A910A Head Support For Neurosurgery

- ◆ Head support is used for stably fixing patient head in the best position,fully extend operation vision for easily carrying out neurosurgery surgery.



HL-A910A



HL-A910B



Patient Warming System

- ◆ D 27V safety low voltage, avoid electric shock risk.
- ◆ Adopt carbon fiber heating wires. Electricity and thermal conversion rate 99.99% ensure fast heating.
- ◆ Without electromagnetic radiation, do not generate electromagnetic interference to the monitoring instrument and electric knife.
- ◆ Work normal in hurnid environment. No leakage risk.
- ◆ Flexible, folding-resistance, high tensile strength.



HL-A1101 Series Stirrup Type Truncated Limestone Frame



- ◆ Advanced pneumatic stirrup leg holder is ideal positioning device for lithotomic surgeries.
- ◆ It fulflis all the different positioning requirements for lithotomic surgeries.
- ◆ It greatly reduces the work intensity of the medical staff.
- ◆ It greatly increases the operation efficiency and safety to improve the surgical results.



Standard: PU leg set HL-A1101A




Matching: polymer gel leg set HL-A1101B




HL-B117A TYPE IV

Electric Hospital Bed



The new intelligent multi-functional bed is mainly used in ICU ward, can also be used in high-end VIP ward, Its multi-functional and customizable design can maximumly meet the doctor and patient's needs.



Technical Specifications

- ◆ New designed multifunction ICU bed with weighing scale system and LCD touch screen control at the bed end.
- ◆ Four pieces full length PP adjustable side rails provide better safety, with 4 sets control buttons integrated on the side rails.
- ◆ Four sections HPL board lying platform, with good loading capacity, transparent to X-ray.
- ◆ 4 sets of foot control pedals on both sides of the bed for bed hi-low, trendelenburg and reverse trendelenburg adjustment.
- ◆ LCD touch screen control located at the bed footboard including functions of patient's record storage, bed functions control, weighing function, bed exit alarm etc.

Overall Dimension:	L2290*W990mm
Electric backrest adjustment:	0-70°±5°
Electric leg setion adjustment:	0-40°±5°
Electric Hi-Low adjustment:	570-970mm
Trendelenburg/reverse:	13°/13°
Left/right tilting:	15°/15°

Optional



HL-B117A TYPE III




Tabletop Movements





HL-B117A TYPE V

Electric Hospital Bed



Technical Specifications

- ◆ New designed multifunction ICU bed with weighing scale system and LCD touch screen control at the bed end.
- ◆ New type 4 pieces PP material adjustable side rails with 4 sets control buttons integrated on the side rails. Outside of the side rails are installed with 4 angle indicators.
- ◆ Four sections HPL board lying platform, with good loading capacity, transparent to X-ray. 4 sets of foot control pedals on both sides of the bed for bed hi-low, trendelenburg and reverse trendelenburg adjustment.
- ◆ LCD touch screen control located at the bed foot board including functions of patient's record storage, bed functions control, weighing function, bed exit alarm etc.

Overall Dimension:	L2190*W1040mm
Electric backrest adjustment:	0-70°±5°
Electric leg setion adjustment:	0-35°±5°
Electric Hi-Low adjustment:	540-940mm
Trendelenburg/reverse:	13°/13°
Left/right tilting:	30°/30°

Tabletop Movements






HL-B117B TYPE I

Electric Hospital Bed


- ◆ Size L2190*W950*H470-795mm.
- ◆ One-step detachable bed head and foot boards, convenient for nursing staff close to the head of patient.
- ◆ Trendelenburg and reverse trendelenburg function apply to emergency treatment, improve patient comfort.
- ◆ Non-gap design is convenient for transferring patient safely.
- ◆ Ergonomic CPR handle located at the head section for quick release the backrest for emergency.
- ◆ With switch to lock/unlock all electric functions.
- ◆ Built-in control panels on both sides of the side rails for nursing staff and patient control.
- ◆ Angle indicator shows the tilt angle of backrest, trendelenburg and reverse trendelenburg.
- ◆ Built-in battery back-up. (optional).
- ◆ Bed platform is automatically shaped to prevent the patient from sliding to the end of the bed.
- ◆ Dia.125mm double-face swinging castors with two-step central locking system, abrasion resistance and corrosion resistance.



HL-B117B TYPE II

Electric Hospital Bed

- ◆ Size L2175*W990*H450-800mm
- ◆ C-shape back section with buffering rising design can effectively avoid bedsores and prevent body position to get down.
- ◆ Split up-down side rails meet the safety standard IEC60601-2-52, reasonable gap between the front and back pieces, moving with the function of the bed, maximumly ensure the safety of patient.
- ◆ Dia.125mm double-face swinging castors with two-step central locking system, abrasion resistance and corrosion resistance.
- ◆ Ergonomic side rails can be the help handle when patient need sit up.
- ◆ Integrated control panel on side rails for nursing staff to control, with switch to lock/unlock the patient control remote to avoid misusing.
- ◆ Bed comes with ball-rocking angle indicator for showing the adjustable angle of each section.
- ◆ With electric CPR quick release function for emergency use.






HL-B117B TYPE III

Electric Hospital Bed

- ◆ Size: L2300*W1050*H500-720mm
- ◆ PE material bed head and foot boards shaped by blow molding, with self-locking device, easy for disassembling and cleaning.
- ◆ New type PE folding guard rails, with embedded holder for hand controller. Conform to ICE60601-2-52 standard.
- ◆ Angle indicator is installed on the outside of both side rails.
- ◆ Bed board is with punching press and shaped in one time. Anti slip system on both sides of the bed.
- ◆ Adopt 4 pieces Taiwan Ti-motion linear actuators, which are of high performance, waterproof and noiseless.
- ◆ Germany TENTE diameter 125mm castors with central braking system, anti-corrosion and acid resistant.
- ◆ Backup battery.



Bed Accessories

I.V pole sockets: 4 pcs

Drainage bag hooks: 2 pcs



HL-B115A TYPE I



- ◆ Removable PE head and foot panels available for CPR.
- ◆ Four pieces ergonomic tuck-away side rails with angle indicators. Safety side rails, easy to operate.
- ◆ Adopt 4 pieces Taiwan Ti-motion linear actuators of high performance, water proof and noiseless.
- ◆ Four Φ125mm castors with central brake, super abrasion resistance, to promote a flexible and convenient movement and locking.

Model	Length	Width	HI-low 	Back up/down 	Leg up/down 	Trendelenburg and reverse trendelenburg 	Auto contour function
HL-B115A TYPE I	2190mm	1080mm	500-720mm	0-70°	0-40°	0-12°	YES
HL-B115B TYPE I	2100mm	980mm	250-550mm	0-70°	0-40°		YES

HL-B115B TYPE I



- ◆ Ultra-low position 250mm is easier for patient get on/off the bed.
- ◆ Adopt 3 pieces Taiwan Ti-motion linear actuators of high performance, water proof and noiseless.
- ◆ Foldable aluminum alloy side railings can be locked at the raised position for safety.
- ◆ Move easily by four luxurious casters with individual brakes.
- ◆ Suitable for homecare

HL-B115B TYPE II



- ◆ Removable ABS head and foot panels available for CPR.
- ◆ Foldable aluminum alloy side railings can be locked at the raised position for safety.
- ◆ Bed board punching press and shaping in one time. Anti slip system on both sides of the bed.
- ◆ Adopt 3 pieces Taiwan Ti-motion linear actuators of high performance, water proof and noiseless.
- ◆ Four Φ125mm castors with central brake, super abrasion resistance, to promote a flexible and convenient movement and locking.

Model	Length	Width	HI-low 	Back up/down 	Leg up/down 	Auto contour function
HL-B115B TYPE II	2150mm	950mm	500-720mm	0-70°	0-40°	YES
HL-B115B TYPE III	2150mm	980mm	400-620mm	0-70°	0-40°	YES

HL-B115B TYPE III



- ◆ Removable PE head and foot panels available for CPR.
- ◆ Foldable aluminum alloy side railings can be locked at the raised position for safety.
- ◆ Bed board punching press and shaping in one time. Anti slip system on both sides of the bed.
- ◆ Adopt 3 pieces Taiwan Ti-motion linear actuators of high performance, water proof and noiseless.
- ◆ Four Φ125mm advanced casters with brake, mute and superior resistance.

HL-A133A
Manual Hospital Bed

- ◆ One-step detachable bed head and foot boards, convenient for nursing staff close to the head of patient.
- ◆ Four pieces ergonomic tuck-away side rails with angle indicators.
- ◆ Safety side rails, easy to operate.
- ◆ Non-gap design is convenient for transfer patient safely.
- ◆ Hidden cranks with overloading protection adjust the up/down of the height, back section and leg section.
- ◆ Bed platform is automatically shaped to prevent the patient from sliding to the end of the bed.
- ◆ Rotating bumpers at four corner .
- ◆ Four dia.125mm castors with central brake, super abrasion resistance, to promote a flexibile and convenient movement and locking.

Optional



Model	Length	Width	Hi-low	Back up/down	Leg up/down
HL-A133A	2190mm	1000mm	500-720mm	0-70°	0-40°

HL-A134A
Manual Hospital Bed

- ◆ PE material bed head and foot boards shaped by blow molding, with self-locking device,easy for disassembling and cleaning
- ◆ European type guard rails, imported PE material shapped by blow molding.
- ◆ Bed board punching press and shaping in one time.
- ◆ Anti slip system on both sides of the bed.
- ◆ Four Φ125mm castors with central brake,super abrasion resistance, to promote a flexible and convenient movement and locking.
- ◆ ABS crank handle with overloading protection system.
- ◆ Bed accessories: I.V pole sockets:4 pcs/Drainage bag hooks:2 pcs

Optional



Model	Length	Width	Hi-low	Back up/down	Leg up/down
HL-A134A	2300mm	1080mm	500-720mm	0-70°	0-40°

HL-A132A

Manual Hospital Bed

- ◆ Size 2150*1080*500-720mm
- ◆ PE material bed head and foot boards, with self-locking device, available for CPR.
- ◆ Four pieces ergonomic tuck-awayside rails with angle indicators.
- ◆ Bed board punching press and shaping in one time.Anti slip system on both sides of the bed.
- ◆ Four Φ125mm advanced casters with central brake, mute and superior resistance.
- ◆ ABS crank handle with overloading protection system.
- ◆ Bed accessories: I.V pole sockets:4 pcs/Drainage bag hooks:2 pcs



Optional

HL-A132B



HL-A132C



HL-A132D



Bed Accessories

I.V pole sockets: 4 pcs

Drainage bag hooks: 2 pcs



Model	Length	Width	Hi-low	Back up/down	Leg up/down
HL-A132A	2150mm	1080mm	500-720mm	0-70°	0-40°

HL-A143A



- ◆ Four cranks manual bed adjustment:backrest(0-70°), legrest(0-40°), hi-low(500-700mm), trend/reverse trend(±12°)
- ◆ Optional: ABS side rails, central braking castors.

HL-A131B



- ◆ Two cranks manual bed adjustment backrest(0-70°) and legrest(0-40°)
- ◆ Φ125mm castors with central locking system

HL-A120A



- ◆ One crank manual bed with adjustment backrest(0-70°)
- ◆ High quality ABS bed head and foot boards

HL-A120C



- ◆ Economical full metal two cranked hospital bed
- ◆ Adjustments: backrest, legrest

HL-A131A



- ◆ Three cranks manual bed adjustment:backrest(0-70°), legrest(0-40°), hi-low(500-700mm)
- ◆ Optional: ABS side rails, central braking castors.

HL-A131C



- ◆ Two cranks manual bed adjustment backrest(0-70°) and legrest(0-40°)
- ◆ Φ125mm castors with individual locking system

HL-A120B



- ◆ One crank manual bed with adjustment backrest(0-70°)
- ◆ Φ125mm castors with individual locking system

HL-A120D



- ◆ One crank hospital bed with stainless steel bed head&foot ends
- ◆ Adjustment: backrest




HL-A141A

Paediatric bed

- ◆ Steel framework, detachable PP head&foot board
- ◆ Bed board dimension: 1775mm(L)*720mm(W)*575mm(H)
- ◆ Sliding protective railings with three gears adjustable: 80mm/310mm/500mm
- ◆ Two functions controlled by cranks
- ◆ 4pcs universal castors
- ◆ Standard accessory: I.V. Pole

color ● ● ●

Optional



Model	Length	Width	Height	Back rest tilting	Knee board tilting
HL-A141A	1880mm	900mm	1210mm	0-75°	0-40°
HL-A141B	1800mm	820mm	1300mm	0-70°	0-35°
HL-A141C	1800mm	820mm	1300mm	0-70°	0-35°
HL-A142A	1800mm	820mm	1300mm		



HL-A151A

Hospital infant bed

color ● ● ●

- ◆ size: L880*W510*H590-770mm
- ◆ Portable antibacterial and transparent basin is made of ACRYLIC plastic.
- ◆ Baby basin can tilt forward and backward.
- ◆ Pneumatic control system for height adjustment.
- ◆ In-bed scale is optional.
- ◆ 4 castors at diameter 100mm with individual brake.



HL-A152A

Size /mm: L820*W500*H910mm



HL-A152B

Size /mm: L800*W460*H860mm



HL-A153A

Size /mm: L800*W460*H860mm



HL-A153B

Size /mm: L790*W450*H950mm





Bedside Tables

HL-D511A Luxury Bedside Table

Size /mm: L500*W550*H720mm



HL-D511B Bedside Table

Size /mm: L480*W480*H880mm



HL-D511C Luxury Bedside Table

Size /mm: L500*W550*H720mm



HL-D512A Bedside Table

Size /mm: L480*W480*H760mm



HL-D512B Bedside Table

Size /mm: L510*W510*H710mm



HL-D512C Bedside Table

Size /mm: L480*W480*H750mm



Bedside Tables

HL-D611A Tilting over bed table

Size /mm: L890*W420*H760-1100mm



HL-D611B Tilting over bed table

Size /mm: L815*W400*H720-1100mm



HL-D611C Over bed table

Size /mm: L900*W400*H740-1130mm



HL-D612A Over bed table

Size /mm: L815*W400*H720-1100mm



HL-D612B Over bed table

Size /mm: L900*W400*H740-1130mm



HL-D612C Over bed table

Size /mm: L810*W400*H720-1100mm





HL-A411A

Multifunction Transfer Trolley

- ◆ Size: L1930*W663*H510-850mm. Lying platform: L1880*W620mm
- ◆ HPL material lying platform and PP side rail. Main frame: aluminum and epoxy coated steel.
- ◆ Hi-low, trendelenburg & reverse-trendelenburg: by hydraulic foot pedal.
- ◆ Side rail can be horizontally fixed. Concave design in the middle to prevent catheter from falling off.
- ◆ Side rail with angle indicators to show the backrest adjustment range.
- ◆ Dia. 200mm castors with central braking pedals. Fifth direction wheel for better movement.
- ◆ Back section adjustable angle: 0-70°. Adjusted by gas spring.
- ◆ Footrest max upward angle: 0-40°. Adjusted by a crank handle.
- ◆ Height adjustment range: 510-850mm
- ◆ Trendelenburg & Reverse-trendelenburg: -18°/+18°



Optional

HL-A411B



HL-A413A



HL-A412A

Multifunction Transfer Trolley

- ◆ Size: L2000*W950*H600-900mm, bed board size: L1800*W600mm.
- ◆ Heavy duty mild steel structure with epoxy powder coated.
- ◆ Molded ABS plastic base with integrated trays for storage.
- ◆ Top lying platform of four sections are made of HPL, transparent for X ray.
- ◆ Collapsible side rails are made of stainless steel with self lock device.
- ◆ Dia.150mm wheels with central braking system. Fifth direction wheel for better movement.
- ◆ Two column hydraulic pumps to adjust Hi-low position, trendelenburg and reverse trendelenburg positions.
- ◆ Back section and leg section are adjusted mechanically. Backrest max upward angle: $\leq 70^\circ$. Footrest max upward angle: $\leq 40^\circ$.
- ◆ Height adjustment: 900mm-600mm.
- ◆ Trendelenburg/Reverse Trendelenburg: $\pm 15^\circ$.



Optional

HL-A412B



HL-A413B



HL-A413C



HL-A413D





HL-A161B

Examination Couch

- ◆ Size: L1980*W700*H480-920mm.
- ◆ Heavy-duty steel construction with PVC cushioned top.
- ◆ Electrically controlled hi-low adjustment by pedal from 480mm to 920mm.
- ◆ Back(-33° to 90°) and foot(-24° to 41°) sections are adjusted by gas spring.
- ◆ Adjustable armrest(optional).
- ◆ Four retractable medical grade castors.
- ◆ Four large pad leveling feet.
- ◆ Loading capacity: 230kg.



Optional

HL-A161C



HL-A162B



HL-A162C



HL-A163A



HL-A231A

Delivery Bed

- ◆ Size: L2000*W800*H600-800mm
- ◆ Multi-function delivery couch consist of bed frame, backrest, seat board, leg rest, side rails, bar, castors, knee crutches, monitor tray, IV rod, stainless steel basin and other parts.
- ◆ Main structure: Mild steel tube with epoxy coating.
- ◆ Mattress: High density foam filling, Mattress over: Fabric, PU coated, hygienic and durable.
- ◆ Four durable castors with individual brake
- ◆ Backrest and legrest can be adjusted by ratchet bar
- ◆ Height can be adjusted by the crank under the back section
- ◆ Adjustable knee crutches, detachable stainless steel bowl, concealed sockets on both side of the couch for IV pole placing.



Optional

HL-A231B



HL-A232A



HL-A232B





HL-D421A-9 Emergency Trolley

- ◆ Size /mm: L650*W480*H980mm
- ◆ ABS modular surface, portable cart body, corrosion resistance and easy to clean.
- ◆ Concave surface, better for item storage, to prevent item from falling down when cart is moving.
- ◆ High quality stainless steel columns, abrasion resistance and corrosion resistance.
- ◆ Aluminum composite panel for side boards and back board, high strength, abrasion resistance and corrosion resistance.
- ◆ Four noise-free anti-winding caster wheels, of which diameter is $\Phi 100$ mm.



HL-D421A-1 Medicine Trolley

Size /mm: L650*W480*H900mm



HL-D421A-2 Difficult Airway Trolley

Size /mm: 800*480*980/1115mm 445*110*960 (mirror box)



HL-D421A-3 Anesthesia Trolley

Size /mm: L650*W480*H980mm



HL-D421A-4 Anesthesia Trolley

Size /mm: L650*W480*H980mm



HL-D421A-5 Infusion Trolley

Size /mm: L650*W480*H900mm



HL-D421A-6 Treatment Trolley

Size /mm: L650*W480*H900mm



HL-D421A-7 Instrument Trolley

Size /mm: L650*W480*H980mm



HL-D421A-8 Housekeeping Trolley

Size /mm: L1080*W480*H980mm



HL-D421A-10 Treatment Trolley

Size /mm: L650*W480*H900mm



HL-D421A-11 Patient File Trolley

Size : Customizable





HL-D421B-1 Anesthesia Trolley

- ◆ Size: L650*W475*H970mm
- ◆ ABS modular surface inserted with stainless steel 304 plate. Top surface is installed with stainless steel three-side fence to prevent items from falling down when cart is moving.
- ◆ Aluminum composite panel for side board and back board. Aluminium alloy columns, features high strength, abrasion resistance and corrosion resistance.
- ◆ Four noise-free anti-winding caster wheels, of which diameter is Φ 100mm.



HL-D421B-2 Instrument Trolley

Size /mm: L650*W475*H900mm



HL-D421B-3 Medicine Trolley

Size /mm: L650*W475*H900mm



HL-D421B-4 Medicine Trolley

Size /mm: L650*W475*H900mm



HL-D421B-5 Treatment Trolley

Size /mm: L650*W475*H900mm



HL-D421B-6 Emergency Trolley

Size /mm: L650*W475*H970mm



HL-D421B-7 Emergency Trolley

Size /mm: L650*W475*H970mm



HL-D421B-7 Difficult Airway Trolley

Size /mm: 800*475*970/1065mm
445*110*960mm (mirror box)



HL-D421B-9 X-Ray Film Trolley

Size /mm: L650*W475*H900mm



HL-D421B-10 Housekeeping Trolley

Size /mm: L1050*W475*H900mm



HL-D421B-11 Patient File Trolley

Size /mm: Customizable





Trolleys & Cabinets

HL-D432A-1 Instrument Trolley



HL-D432A-2 Instrument trolley



HL-D432A-3 Treatment trolley



HL-D432A-4 Medicine trolley



HL-D432A-5 Medicine trolley



HL-D432A-6 Medicine trolley



HL-D432A-7 Mayo Trolley



HL-D432A-8 Dressing trolley



HL-D432A-9 Medicine trolley



HL-D432A-10 Cleaning trolley



HL-D432A-11 Cleaning trolley



HL-D432A-12 Disinfection Trays



Trolleys & Cabinets

U-1 Hospital cabinet

Size /mm: L960*W400*H1850mm



U-2 Hospital cabinet

Size /mm: L900*W400*H1850mm



U-3 Hospital cabinet

Size /mm: L960*W400*H1750mm



U-4 Hospital cabinet

Size /mm: L900*W400*H1850mm



U-5 S.S. Hospital Cabinet

Size /mm: L900*W250/400*H1850mm



U-6 S.S. Hospital Cabinet

Size /mm: L900*W400*H1850mm



U-7 S.S. Hospital Cabinet

Size /mm: L960*W400*H1850mm



U-8 S.S. Hospital Cabinet

Size /mm: L2100*W600*H2000mm



X-1 Packing table

Size /mm: L1200*W800*H800mm



X-2 Storage Rack

Size /mm: L2000*W450*H2000mm



X-3 Medicine Storage Rack

Size /mm: L800*W860*H2000mm



X-4 Surgical Scrub Sink

Size /mm: 1800*450*1800mm





Nurse Station Series



Treatment Room



Dressing Room



G-1 Advanced ABS cabinet

Top-A: L430*W380*H500mm Top-B: L900*W380*H500mm







Table and Chairs Series

|XF-1



|XF-2



|XF-5



|XF-9



|XP-1



|XP-2



|Y-1 Step stool
Size: L400*W350*H280mm



|Y-2 Step stool
Size: L500*W350*H450mm



|Y-3 Round stool
Size: D300*H700mm



|Y-4 Round stool
Size: D300*H700mm



|Y-5 Laboratory chair
Size: D300*H700mm



|Y-6 Ward nursing chair
Expand Size: L1850*W620*H400mm
Folded Size: L770*W620*H940mm



|Y-7 Ward nursing chair
Expand Size: L1850*W625*H400mm
Folded Size: L880*W625*H910mm



|Y-8 S.S Infusion Chair
Size: L800*W600*H450mm



|Y-9 Painted Infusion Chair
Size: L800*W600*H450mm



|Y-10 Commode Chair
Size: L450*W540*H850mm



|Y-11 Folding Stretcher
Size: L2000*W400mm



|Y-12 Scooping stretcher
Size: L2000*W400mm



|Y-13 Ward screen
3-panel



|Y-14 IV Stand



Parts

|A-1



|A-2



|A-3




|A-4



|A-5



|A-6



|A-7



|A-8



|A-9



|A-10



|A-11



|A-12



|A-13



|A-14



|A-15



|B-1



|B-2



|B-3



|B-4



|B-5



|B-6




|B-7




|C-1



|D-1



|D-2




|D-3



|E-1



|E-2






Mattress

M-1 Anti-Decubitus Mattress with pump

- ◆ Type: Tube
- ◆ Dimension: 200cm*90cm*9cm
- ◆ Material: Medical Grade PVC, thickness 0.3-0.4mm, water resistance
- ◆ Number of Tube: 22pcs
- ◆ Repair Kit: Included
- ◆ Weight bearing capacity: 150kgs
- ◆ Weight: 1.6kg



M-2 Mattress

- ◆ Dimension: L1910mm*W910mm*100mm
- ◆ Durable Zipper
- ◆ Double Sponge
- ◆ Advanced Custom Fabric



Mattress

M-3 Mattress for flat & electric bed
SIZE: L1930*W890*H80mm



M-4 Mattress for semi-fowler bed
SIZE: L1930*W890*H80mm



M-5 Mattress for full-fowler bed
SIZE: L1930*W890*H80mm



M-6 Mattress for orthopedics bed
SIZE: L1930*W890*H60mm



M-7 Mattress for stretcher



M-8 Superior red paim



M-9 Inartificial shredded coconut



M-10 High density elastic sponge



M-11 Environment friendly hard cotton and red paim

